



SECTION I	PRODUCT AND COMPANY INFORMATION																					
TRADE NAME:	DAP - Diammonium Phosphate																					
CHEMICAL NAME:	Dibasic Ammonium Phosphate																					
CAS NUMBER:	7783 - 28 - 0																					
CHEMICAL FAMILY:	Ammonium Phosphates—Inorganic Salt																					
SYNONYMS:	Ammonium Phosphate Dibasic Secondary Ammonium Phosphate Diammonium Hydrogen Phosphate Fertilizer Grade Ammonium Phosphate DAP 18 - 46 - 0																					
PRIMARY USE:	Crop nutrient																					
COMPANY INFORMATION:	MOSAIC 8813 U.S. Highway 41 South Riverview, Florida 33569 www.mosaicco.com 306-345-8400, 8 AM to 5 PM Central Time US.																					
EMERGENCY TELEPHONE:	CHEMTREC 1-800-424-9300																					
SECTION II	HAZARD IDENTIFICATION																					
EMERGENCY OVERVIEW:	Health Hazards:	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Diammonium phosphate is generally recognized as safe when used in accordance with good manufacturing practice.																				
	Physical Hazards:	Slippery when wet																				
	Physical Form:	Solid																				
	Appearance:	Gray, tan, brown or black granules																				
	Odor:	Slight ammonia odor																				
	Toxicity:	Non-toxic																				
	<table border="1" data-bbox="544 1228 933 1449"> <thead> <tr> <th colspan="2">NFPA HAZARD CLASS</th> </tr> </thead> <tbody> <tr> <td>Health:</td> <td>1</td> </tr> <tr> <td>Flammability:</td> <td>0</td> </tr> <tr> <td>Instability:</td> <td>0</td> </tr> <tr> <td>Special Hazard:</td> <td>None</td> </tr> </tbody> </table>	NFPA HAZARD CLASS		Health:	1	Flammability:	0	Instability:	0	Special Hazard:	None	<table border="1" data-bbox="966 1228 1339 1449"> <thead> <tr> <th colspan="2">HMIS HAZARD CLASS</th> </tr> </thead> <tbody> <tr> <td>Health:</td> <td>1</td> </tr> <tr> <td>Flammability:</td> <td>0</td> </tr> <tr> <td>Physical Hazard:</td> <td>0</td> </tr> <tr> <td>PPE:</td> <td>Section 8</td> </tr> </tbody> </table>	HMIS HAZARD CLASS		Health:	1	Flammability:	0	Physical Hazard:	0	PPE:	Section 8
	NFPA HAZARD CLASS																					
Health:	1																					
Flammability:	0																					
Instability:	0																					
Special Hazard:	None																					
HMIS HAZARD CLASS																						
Health:	1																					
Flammability:	0																					
Physical Hazard:	0																					
PPE:	Section 8																					
POTENTIAL HEALTH EFFECTS:	<b>Eye:</b>	Contact may cause mild eye irritation including stinging, watering and redness.																				
	<b>Skin:</b>	Contact may cause mild irritation including redness and a burning sensation. No harmful effects from skin absorption have been reported.																				
	<b>Inhalation (Breathing):</b>	Studies by other exposure routes suggest a low degree of hazard by inhalation under normal circumstances.																				
	<b>Ingestion (Swallowing)</b>	Low degree of toxicity by ingestion.																				



	<b>Signs and Symptoms:</b>	Effects of overexposure may include irritation of the nose, throat and digestive tract, nausea, vomiting, diarrhea, coughing and shortness of breath.	
	<b>Cancer:</b>	Data not available.	
	<b>Target Organs:</b>	Data not available.	
	<b>Developmental:</b>	Data not available.	
	<b>Other Comments:</b>	Effects of overexposure to dusts can include irritation of the eyes and respiratory tract, pneumoconiosis (dust congested lungs) pneumonitis (lung inflammation), coughing, vomiting, diarrhea, abdominal pain and jaundice.	
	<b>Pre-Existing Medical Conditions:</b>	Respiratory (asthma-like) disorders, dermatitis	
POTENTIAL ENVIRONMENTAL EFFECTS:	DAP is considered biodegradable and is taken up as a nutrient by vegetation. Large spills can harm or kill vegetation. May release ammonium ions in water systems that are toxic to fish. May release phosphates which will result in algae growth, increased turbidity and depleted oxygen in water systems.		
<b>SECTION III</b>	<b>COMPOSITION INFORMATION ON INGREDIENTS</b>		
FORMULA:	$(\text{NH}_4)_2\text{HPO}_4$		
COMPOSITION:	Phosphate as $\text{P}_2\text{O}_5$	45.5 - 46.3 %	
	Nitrogen as N	17.5 - 18.3 %	
	Water	1 - 2 %	
	Fluorides as F	2 - 4 %	
<b>SECTION IV</b>	<b>FIRST AID MEASURES</b>		
FIRST AID PROCEDURES:	Eyes:	Move victim away from exposure and into fresh air. Flush eyes with plenty of clean water for at least 15 minutes. If symptoms persist, seek medical attention.	
	Skin:	Wash contaminated area thoroughly with mild soap and water. If chemical or solution soaks through clothing, remove clothing and wash contaminated skin. If irritation develops and persists after washing, seek medical attention.	
	Inhaled:	If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention.	
	Ingestion:	If person is conscious, immediately give water or milk. Do not induce vomiting. Seek medical attention. If person is unconscious, do not give anything by mouth.	
NOTE TO PHYSICIAN:	If person has been exposed to concentrated decomposition products, treat symptomatically and watch for delayed symptoms of pulmonary edema.		
<b>SECTION V</b>	<b>FIRE FIGHTING MEASURES</b>		
FLAMMABLE PROPERTIES:	Flash Point:	Not applicable	
	OSHA Flammability Class:	Not applicable	
	LEL/UEL:	LEL: Not applicable/ UEL: Not applicable	
	Auto-Ignition Temperature:	Not applicable	



EXTINGUISHING MEDIA:	Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Small fires: Water spray, foam, dry chemical or CO <sub>2</sub> Large fires: Water spray, fog or foam	
PROTECTION OF FIREFIGHTERS:	Positive pressure, self-contained breathing apparatus is required for all fire fighting activities involving hazardous materials.	
<b>SECTION VI</b>	<b>ACCIDENTAL RELEASE MEASURES</b>	
RESPONSE TECHNIQUES:	Stay upwind and away from spill (dust hazard). Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Notify appropriate federal, state, and local agencies as may be required (see Section 15). Minimize dust generation. Sweep up and package appropriately for disposal.	
<b>SECTION VII</b>	<b>HANDLING AND STORAGE</b>	
HANDLING:	The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Sections 8). Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing or shoes. Use good personal hygiene practices.	
STORAGE:	Use and store this material in cool, dry, well-ventilated areas. Store only in approved containers. Keep container(s) tightly closed. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage. Material may absorb moisture from the air.	
<b>SECTION VIII</b>	<b>EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
ENGINEERING CONTROLS:	Use process enclosure, general dilution ventilation or local exhaust systems where necessary to maintain airborne dust concentration below the OSHA standards or in accordance with applicable regulations.	
PERSONAL PROTECTIVE EQUIPMENT (PPE):	Eye/Face:	Approved eye protection to safeguard against potential eye contact, irritation, or injury is recommended.
	Skin:	The use of cloth or leather work gloves is advised to prevent skin contact, possible irritation and absorption.
	Respiratory:	Protection is not required where adequate ventilation conditions exist. Use a dust mask or other appropriate respiratory protection where engineering controls are not feasible or during operations that generate airborne concentrations exceeding the relevant standards.
	Other:	A source of clean water should be available in the work area for flushing eyes and skin.
GENERAL HYGIENE CONSIDERATIONS:	Wash thoroughly after handling Use in adequate ventilation	



EXPOSURE GUIDELINES:	OSHA Permissible Exposure Limits (PEL):	Particulates Not Otherwise Specified: 5 mg/m <sup>3</sup> TWA (respirable); 15 mg/m <sup>3</sup> TWA (total) Ammonia: 50 ppm (35 mg/m <sup>3</sup> ) TWA
	ACGIH Threshold Limit Value (TLV):	Ammonia: 25 ppm (18 mg/m <sup>3</sup> ) TWA; 35 ppm (27 mg/m <sup>3</sup> ) STEL
<b>SECTION IX</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	
Note: Unless otherwise stated, values in this section are determined at 20°C (68°F) and 760 mm Hg (1 atm).		
Flash Point:	Not applicable	
Flammability/ Explosive Limits (%):	LEL: Not applicable/UEL: Not applicable	
Auto-Ignition Temperature:	Not applicable	
Appearance:	Gray, tan, brown or black granules	
Physical State:	solid	
Odor:	Slight ammonia odor	
Molecular Weight of Pure Material:	132.055	
pH:	7.4 – 8.0 in a 1% solution	
Vapor Pressure (mm Hg):	Not applicable	
Vapor Density (air=1):	Not applicable	
Boiling Point:	Not applicable	
Freezing/Melting Point:	Decomposes at 310°F (155 °C) before melting	
Solubility in Water:	80% - 95%	
Specific Gravity:	Not applicable	
Volatility:	Not applicable	
Bulk Density:	62 - 68 lbs./ft <sup>3</sup> (Packed); 58 – 64 lbs./ft <sup>3</sup> (Loose)	
<b>SECTION X</b>	<b>STABILITY AND REACTIVITY</b>	
Chemical Stability:	Stable under normal conditions of storage and handling. Decomposes at 310°F (155°C).	
Conditions to Avoid:	Extreme temperatures	
Incompatible Materials:	Avoid contact with alkaline materials	
Hazardous Decomposition Products:	If heated to the point of decomposition, oxides of phosphorus, oxides of nitrogen and ammonia (NH <sub>3</sub> ) may be released.	
Corrosiveness:	May be corrosive to iron and mild steels, aluminum, zinc and copper	
Hazardous Polymerization:	Will not occur	
<b>SECTION XI</b>	<b>TOXICOLOGICAL INFORMATION</b>	
Acute Oral Toxicity	LD <sub>50</sub> (rat, oral) > 2000 mg/kg bw	
Acute Inhalation Toxicity	Data not available	
Acute Dermal Toxicity	LD <sub>50</sub> (rat, dermal) > 5000 mg/kg bw	



Mutagenesis	Data not available
Target Organ	Data not available
Developmental Toxicity	Data not available
Carcinogenicity	The ingredient(s) of this product is (are) not classified as carcinogenic by NTP (National Toxicology Program), IARC, or OSHA
<b>SECTION XII</b>	<b>ECOLOGICAL INFORMATION</b>
ECOTOXICOLOGY:	<p>May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream.</p> <p>Fish 96 hour LC<sub>50</sub>, (rainbow trout, 11 °C): 150-700 mg/L          Fish 96 hour LC<sub>50</sub>, (rainbow trout fingerling, 11 °C): 1,000 mg/L          Fish 96 hour LC<sub>50</sub>, (Coho Salmon fry, 11 °C): 90-580 mg/L          Fish 96 hour LC<sub>50</sub>, (Coho Salmon fry fingerling, 11 °C): 1,000-&gt;1,500 mg/L          Fish 96 hour LC<sub>50</sub>, (Fathead minnow, 21 °C): 940-&gt;1,000 mg/L          Fish 96 hour LC<sub>50</sub>, (Bluegills, 21 °C): &gt;1,500 mg/L          Fish 96 hour LC<sub>50</sub>, (Largemouth bass, 21 °C): 1,160-&gt;1,500 mg/L          LC<sub>50</sub> (V.bengalensis; 21 °C) = 2,472 mg/L          LC<sub>50</sub> (V.bengalensis; 26 °C) = 2,450 mg/L          LC<sub>50</sub> (V.bengalensis; 31 °C) = 1,850 mg/L          LC<sub>50</sub> (V.bengalensis; 36 °C) = 1,005 mg/L          LC<sub>50</sub> (B. sowerbyi; 21 °C) = 2,455 mg/L          LC<sub>50</sub> (B. sowerbyi; 26 °C) = 2,005 mg/L          LC<sub>50</sub> (B. sowerbyi; 31 °C) = 1,740 mg/L          LC<sub>50</sub> (B. sowerbyi; 36 °C) = 1,200 mg/L          Non-toxic to aquatic plants. No Observable Effect Concentration (NOEC) toxicity = 97.1 mgDAP/L</p>
<b>SECTION XIII</b>	<b>DISPOSAL CONSIDERATIONS</b>
	Properly characterize all waste materials. Consult state and local regulations regarding the proper disposal of this material.
<b>SECTION XIV</b>	<b>TRANSPORTATION INFO</b>
Regulatory Status	Not regulated
Proper Shipping Name	Chemical N.O.S. (non-regulated)
Hazard Class	Not listed in the hazardous materials shipping regulations (49 CFR, Table 172.101) by the U.S. Department of Transportation, or in the Transport of Dangerous Goods (TDG) Regulations Canada.
Packing Group	Not applicable
Identification Number	Not applicable
Guide Number	Not applicable



SECTION XV	REGULATORY INFORMATION
CERCLA:	Not listed
RCRA 261.33:	Not listed
SARA TITLE III: (Exemptions at 40 CFR, Part 370 may apply for agricultural use, or for quantities of less than 10,000 pounds on-site.)	SARA – 311/312: Not listed
	SARA – 313: Not listed
	SARA – 302/304: Not listed
NTP, IARC, OSHA:	This material has not been identified as a carcinogen by NTP, IARC, or OSHA.
Canada DSL and NDSL:	DSL: Yes NDSL: Not listed
TSCA:	All components listed in the TSCA Inventory
CA Proposition 65: (Health & Safety Code Section 25249.5)	Warning: This product contains substances that are known to the State of California to cause cancer and/or reproductive harm.
WHMIS:	This MSDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and the MSDS contains all of the information required by the CPR.
CBSA:	This product does not contain any bovine, ruminant or other animal by-products.
SECTION XVI	OTHER INFORMATION
Disclaimer:	<p>The information in this document is believed to be correct as of the date issued. Nothing herein contained shall be deemed to be a representation or warranty with respect to the product described herein. <b>NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE, AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED BY MOSAIC.</b> This information and product are furnished on the condition that the person receiving them shall make their own determination as to suitability of the product for their particular purpose and on the condition that they assume the risk of their use thereof. The conditions and use of this product are beyond the control of Mosaic, and Mosaic disclaims any liability for loss or damage incurred in connection with the use or misuse of this substance.</p>
Preparation:	The preparation of this MSDS was in accordance with ANSI Z400.1-2004.
References:	The Fertilizer Institute (TFI) Product Testing Program April 2003
Note to ____ (if applicable):	Not applicable